

**This Bluebird Label Is Intended For Use Only With
Monensin^a and Ractopamine^b**

**Heifer Supplement
Medicated
(Type C Medicated Feed)**

For Beef and Dairy Heifers

INDICATIONS

Heifers Fed in Confinement for Slaughter: For Increased Rate of Weight Gain, Improved Feed Efficiency and Suppression of Estrus (Heat).

ACTIVE DRUG INGREDIENTS

Melengestrol acetate^c.....(0.0000276-0.00022%)*
Each pound contains.....(0.125-1.0) mg. melengestrol acetate (select one)*

GUARANTEED ANALYSIS

Crude Protein, not less than	%
Non-Protein Nitrogen (NPN) ¹ , not more than	%
Crude Fat, not less than	%
Crude Fiber, not more than.....	%
Calcium, not less than.....	%
Calcium, not more than.....	%
Phosphorus, not less than.....	%
Salt ² , not less than	%
Salt ² , not more than.....	%
Sodium ³ , not less than	%
Sodium ³ , not more than.....	%
Potassium, not less than.....	%
Vitamin A ^{2,4} , not less than.....	I.U./lb

¹When added.

²If added.

³Shall be guaranteed only when total sodium exceeds that furnished by the maximum salt guarantee.

⁴Other than precursors of Vitamin A.

INGREDIENTS

Each ingredient must be named in accordance with the names and definitions adopted by the Association of American Feed Control Officials.

DIRECTIONS FOR USE

Must be top dressed or mixed with a complete ration containing monensin (10 to 40 g/ton) and ractopamine (9.8 to 24.6 g/ton).

Feed at the rate of 0.5-2.0 pound(s) per head per day (specify one level) to provide 0.25-0.5 mg melengestrol acetate per head per day (specify one level). Feed melengestrol acetate in this combination for the final 28 to 42 days on feed.

CAUTION

Melengestrol acetate is not effective in steers and spayed heifers.

Withdrawal periods of three to five days should be avoided to prevent the possibility that the heifers may come into estrus (heat) at the time of loading.

Approved by FDA under ANADA # 200-659

MANUFACTURED BY

BLUE BIRD FEED MILL
Any town, USA 12345

Net Weight lb (kg) on bag or bulk

Expiration date not required

Lot No. _____

*Final printed label on formulated Type C medicated feed must bear a single concentration of each drug.

^aSourced from Monovet[®], ANADA # 200-639

^bSourced from Actogain[®], ANADA # 200-548

^cSourced from MGA[®], NADA # 039-402

Monovet is a registered trademark of Huvepharma EOOD.

Actogain is a registered trademark of Zoetis Inc.

MGA is a registered trademark of Zoetis Inc.