

Gravity Flow Watering

Systems:

Pour the concentrated solution into enough water to make 666 gallons (2521 liters) of drinking water. In gravity flow watering systems, prepare fresh solutions every 12 hours.

Drinking water prepared as directed above will contain 1,500,000 units of penicillin G per gallon (3.8 liters).

RESIDUE WARNINGS:

Treated turkeys must not be slaughtered for food during treatment and for one day after last treatment.

Do not use in turkeys producing eggs for human consumption.

PRECAUTIONS:

For best results, the treatment should be started at the first sign of infection. If improvement is not noted after 3 to 4 days of treatment, consult a poultry pathologist or veterinarian. Keep this and all other medications out of the reach of children.

Antibiotic

CAUTION: Federal (USA) law restricts this drug to use by or on the order of a licensed veterinarian.

**ANTIBIOTIC
for Drinking Water**

Nonsterile

Active Ingredient:
1.0 billion units
penicillin G potassium

R-Pen®
(penicillin G potassium)

Mix 1 packet to 666 gallons water
Store between 20°C - 25°C (68°F - 77°F) with excursions permitted between 15°C - 40°C (59°F - 104°F).

For Oral Use in Turkeys Only
Keep Out of Reach of Children



Manufactured for:
Huvepharma, Inc.
525 Westpark Drive, Suite 230
Peachtree City, GA 30269



**Observe Label
Directions**

Restricted Drug (California).
Use only as directed.
Not for human use.

Approved by FDA under ANADA # 200-106

P08-9105BF Rev. 02-2021

Huvepharma and R-Pen are registered trademarks of
Huvepharma EOOD

INDICATIONS:

For treatment of erysipelas in turkeys (caused by *Erysipelothrix rhusiopathiae*).

DOSAGE AND ADMINISTRATION:

Administer orally at a dosage of 1,500,000 units of penicillin per gallon (3.8 liters) of drinking water for 5 consecutive days.

DIRECTIONS:

Combine contents of entire package and approximately 3 pints of water in glass or plastic container. Stir to dissolve. Allow the concentrated solution to stand until the foam disappears.

Automatic Watering Systems:

Pour the concentrated solution into a glass or plastic container, then

add enough water to make 5.2 gallons (19.7 liters) of solution. [This amount of solution will medicate 666 gallons (2521 liters) of drinking water.] The automatic waterer should be adjusted to deliver 1 oz (30 ml) of stock solution per gallon (3.8 liters) of drinking water. In automatic watering systems, prepare fresh solutions every 12 hours.



R-Pen®