

**Ractopamine Medicated Finishing Cattle Feed
(Weight Gain, Feed Efficiency and Carcass Leanness)
(ractopamine hydrochloride Type C medicated feed)**

INDICATIONS FOR USE

For increased rate of weight gain, improved feed efficiency and increased carcass leanness in cattle fed in confinement for slaughter during the last 28 to 42 days on feed.

ACTIVE DRUG INGREDIENT

Ractopamine hydrochloride^a 9.8 to 24.6 g/ton*

GUARANTEED ANALYSIS

Crude Protein, not less than	_____ %
Non-Protein Nitrogen (NPN) ¹ , not more than.....	_____ %
Crude Fat, not less than.....	_____ %
Crude Fiber, not more than	_____ %
Calcium, not less than	_____ %
Calcium, not more than	_____ %
Phosphorus, not less than	_____ %
Salt ² , not less than	_____ %
Salt ² , not more than.....	_____ %
Sodium ³ , not less than	_____ %
Sodium ³ , not more than.....	_____ %
Potassium, not less than	_____ %
Vitamin A ^{2,4} , not less than	_____ I.U./lb

¹ When added.

² If added.

³ Shall be guaranteed only when total sodium exceeds that furnished by the maximum salt guarantee.

⁴ Other than precursors of Vitamin A.

INGREDIENTS

Each ingredient must be named in accordance with the names and definitions adopted by the Association of American Feed Control Officials.

FEEDING DIRECTIONS

Feed continuously to cattle fed in confinement for slaughter as the sole ration for last 28 to 42 days on feed.

CAUTION

Not for animals intended for breeding.

WARNINGS

Withdrawal Periods

No withdrawal period is required when used according to labeling.

USER SAFETY WARNINGS

The active ingredient in Optigrid® 45, ractopamine hydrochloride, is a beta-adrenergic agonist. Individuals with cardiovascular disease should exercise special caution to avoid exposure. Not for use in humans. Keep out of the reach of children. The Optigrid 45 formulation (Type A Medicated Article) poses a low dust potential under usual conditions of handling and mixing. When mixing and handling Optigrid 45, use protective clothing, impervious gloves, protective eye wear, and a NIOSH-approved dust mask. Operators should wash thoroughly with soap and water after handling. If accidental eye contact occurs, immediately rinse eyes thoroughly with water. If irritation persists, seek medical attention. The Safety Data Sheet (SDS) contains more detailed occupational safety information.

To report suspected adverse drug events, for technical assistance or to obtain a copy of the SDS, contact Huvepharma, Inc. at 1-877-994-4883.

Approved by FDA under ANADA # 200-679

MANUFACTURED BY
BLUE BIRD FEED MILL
Any Town, USA 12345

Net Weight lb (kg) on bag or bulk

Lot Number: (if applicable) _____
Manufactured On:

*The medicated feed label must state a single drug concentration.

^a Sourced from Optigrid® 45, ANADA # 200-679

Optigrid is a registered trademark of Huvepharma EOOD.